



Trust Headquarters
Nexus House
Gatwick Road
Crawley
West Sussex
RH10 9BG

Tel: 0300 123 0999
www.secamb.nhs.uk

3rd March 2021

Email:

Dear,

I am writing in response to your enquiry under the Freedom of Information Act 2000 (FOIA) reference FOI 210221.

You requested the following information, please also see our response below:

I would like to make a request for information under the Freedom of Information Act regarding the following:

Can you confirm if this is the current specifications used for vehicle build etc or if it isn't please supply the latest version used by SECAMB.

https://improvement.nhs.uk/documents/4964/20190327_National_Ambulance_Vehicle_Specification_final.pdf

The above link is to the National Ambulance Vehicle Specification. Currently our ambulances are built to a similar specification, but not fully. Once we end our tender for the current conversion later this year, we will then be ordering vehicles against the National Ambulance Vehicle Specification as guided by NHSi.

Our current specification is attached, although minor changes have been made "build on build"

I hope you find this information of some assistance.

If for any reason you are dissatisfied with our response, kindly in the first instance contact Caroline Smart, Head of Information Governance via the following email address:

FOI@secamb.nhs.uk

Yours sincerely

Freedom of Information Coordinator
South East Coast Ambulance Service NHS Foundation Trust