



Trust Headquarters
Nexus House
4 Gatwick Road
Crawley
West Sussex
RH10 9BG

Tel: 0300 123 0999
www.secamb.nhs.uk

Date:

Email:

Dear

I am writing in response to your enquiry under the Freedom of Information Act 2000 (FOIA) reference FOI 230413.

You requested the following information, please also see our response below:

- **Please confirm if the Trust is in contract for a 'managed print service' (MPS)?** Yes
- **Does this include both MFD's and Printers?** Yes
- **Please confirm who the contract was awarded to?** Konica Minolta
- **Please confirm procurement route used?** CPC Framework
- **Please confirm name of Trust employee that is responsible for the management of the printer estate for the Trust?** We are unable to supply personal information as releasing individual's personal data would contravene UK Data Protection legislation
- **How many locations does the Trust have?** 112
- **How many MFD's does the Trust have?** 68
- **What is the annual spend on MFD's – including lease costs, consumables, costs per click and service charges?** £57,043 excluding VAT
- **How many printers does the Trust have?** 2 (printers being desktop B&W print only)
- **What is the annual spend on printers – including lease costs, consumables, costs per click and service charges?** £110 excluding VAT
- **Please confirm the annual print volumes for both mono and colour pages?**
2022/23 - Total Mono – A4 616248, A3 1324 and Total Colour – A4 921397, A3 6890

- **Please confirm the name and contact details of your Sustainability lead?**
We are unable to supply personal information as releasing individual's personal data would contravene UK Data Protection legislation.

I hope you find this information of some assistance.

If for any reason you are dissatisfied with our response, kindly in the first instance contact Caroline Smart, Head of Information Governance via the following email address:

FOI@secamb.nhs.uk

Yours sincerely

**Freedom of Information Coordinator
South East Coast Ambulance Service NHS Foundation Trust**