



40-42 Friars Walk  
Lewes  
East Sussex  
BN7 2XW

Tel: 0300 123 0999  
Email:foi@secamb.nhs.uk

10th February 2016

Email:

Dear

I am writing in response to your enquiry under the Freedom of Information Act 2000 (FOIA) reference FOI/16/01/24.

You requested the following information:

**For each question please answer for ambulance, car, and motorbike:**

**1. Is the volume/ loudness of your emergency response units sirens adjustable?**

The volume/ loudness of the sirens on our vehicles is not adjustable. Each vehicle is fitted with a siren amplifier with a maximum output of 120db and a 100 watt siren speaker.

The speaker units are either placed in the front bumper or in the front grille to reduce noise output for the driver.

All sirens are operated via a switch by the driver and the different warning tones can be selected via a foot switch.

All sirens can be checked for operation by applying the handbrake and pressing the siren switch. By applying the handbrake, the siren is muffled so you can just about hear it to confirm that it is operational.

**2. If so, what are the units of volume? High, medium, low or 1 to 10 etc?**

Not applicable.

**3. If so, are they set centrally, by a maintenance function or by the driver?**

Not applicable.

**4. If so, if there is a default or recommended setting what is it? (Both in the units from Q2 and in decibels)**

Not applicable.

**5. If the answer to Q1 is no, what is the volume of the siren in decibels?**

Maximum output is 120db.

I hope you find this information helpful.

If, for whatever reason you are unhappy with our response, you are entitled to pursue any dissatisfaction through South East Coast Ambulance NHS Foundation Trust's (SECAMB) Internal Review Procedure at:

South East Coast Ambulance Service NHS Foundation Trust  
40-42 Friars Walk  
Lewes  
East Sussex  
BN7 2XW  
Email:complaints@secamb.nhs.uk

Should you remain unhappy with the outcome of any such internal review , you may request a decision from the Information Commissioner at:

The Information Commissioner's Office  
Wycliffe House  
Water Lane  
Wilmslow  
Cheshire  
SK9 5AF

If I can be of further assistance to you, please do not hesitate to contact me, quoting the above reference number.

Yours sincerely

Freedom of Information Coordinator  
South East Coast Ambulance Service NHS Foundation Trust