

Postcode District	Category	Within Target	Mean Response Time
BN1	Cat1	82.7%	00:04:52
BN10	Cat1	31.4%	00:09:00
BN11	Cat1	74.9%	00:05:04
BN12	Cat1	84.7%	00:04:55
BN13	Cat1	85.4%	00:05:15
BN14	Cat1	80.1%	00:05:04
BN15	Cat1	59.2%	00:06:59
BN16	Cat1	57.1%	00:06:41
BN17	Cat1	48.5%	00:07:34
BN18	Cat1	46.9%	00:07:40
BN2	Cat1	83.8%	00:04:35
BN20	Cat1	63.6%	00:06:40
BN21	Cat1	69.1%	00:06:14
BN22	Cat1	71.8%	00:05:42
BN23	Cat1	65.1%	00:06:14
BN24	Cat1	65.3%	00:06:10
BN25	Cat1	42.7%	00:09:01
BN26	Cat1	85.9%	00:04:44
BN27	Cat1	48.1%	00:07:26
BN3	Cat1	72.8%	00:05:37
BN41	Cat1	56.5%	00:07:02
BN42	Cat1	55.6%	00:06:49
BN43	Cat1	42.3%	00:08:08
BN44	Cat1	14.9%	00:11:50
BN45	Cat1	0.0%	00:08:23
BN5	Cat1	20.5%	00:12:52
BN6	Cat1	23.7%	00:09:12
BN7	Cat1	44.3%	00:09:01
BN8	Cat1	17.2%	00:11:51
BN9	Cat1	36.1%	00:10:38
BR6	Cat1	0.0%	00:12:31

*Responses defined as incidents where at least one resource has arrived on scene.

*Values provided are based on Ambulance Response Programme (ARP) best response.

BR8	Cat1	27.4%	00:09:23
CR3	Cat1	34.0%	00:10:02
CR5	Cat1	27.3%	00:09:34
CR6	Cat1	42.0%	00:10:11
CR8	Cat1	50.0%	00:07:58
CT1	Cat1	64.2%	00:07:26
CT10	Cat1	79.1%	00:05:12
CT11	Cat1	69.5%	00:05:47
CT12	Cat1	80.9%	00:05:08
CT13	Cat1	35.8%	00:09:59
CT14	Cat1	32.6%	00:11:08
CT15	Cat1	16.1%	00:12:34
CT16	Cat1	41.9%	00:09:50
CT17	Cat1	37.6%	00:10:21
CT18	Cat1	43.4%	00:09:45
CT19	Cat1	61.6%	00:06:56
CT2	Cat1	56.5%	00:07:36
CT20	Cat1	49.4%	00:08:35
CT21	Cat1	26.6%	00:11:33
CT3	Cat1	16.1%	00:11:25
CT4	Cat1	27.7%	00:10:35
CT5	Cat1	29.1%	00:10:42
CT6	Cat1	43.1%	00:08:51
CT7	Cat1	53.3%	00:07:07
CT8	Cat1	66.9%	00:06:12
CT9	Cat1	80.7%	00:05:04
DA1	Cat1	68.5%	00:06:24
DA10	Cat1	40.2%	00:08:50
DA11	Cat1	71.9%	00:06:02
DA12	Cat1	51.8%	00:07:37
DA13	Cat1	40.6%	00:08:14
DA14	Cat1	0.0%	00:13:54
DA2	Cat1	70.1%	00:06:08

DA3	Cat1	17.5%	00:10:34
DA4	Cat1	35.8%	00:08:20
DA5	Cat1	28.6%	00:09:17
DA9	Cat1	55.2%	00:07:02
GU1	Cat1	69.9%	00:05:53
GU10	Cat1	37.9%	00:13:49
GU11	Cat1	58.9%	00:06:46
GU12	Cat1	63.3%	00:07:13
GU14	Cat1	67.9%	00:06:12
GU15	Cat1	60.8%	00:07:25
GU16	Cat1	66.5%	00:06:28
GU17	Cat1	44.3%	00:08:15
GU18	Cat1	28.0%	00:09:22
GU19	Cat1	36.7%	00:09:17
GU2	Cat1	63.1%	00:06:30
GU20	Cat1	16.7%	00:09:04
GU21	Cat1	40.8%	00:08:09
GU22	Cat1	39.6%	00:07:41
GU23	Cat1	20.5%	00:09:46
GU24	Cat1	27.2%	00:09:09
GU25	Cat1	20.7%	00:09:07
GU26	Cat1	13.5%	00:13:16
GU27	Cat1	25.0%	00:13:36
GU28	Cat1	8.7%	00:16:20
GU29	Cat1	16.0%	00:15:11
GU3	Cat1	58.9%	00:06:55
GU30	Cat1	0.0%	00:11:30
GU31	Cat1	14.3%	00:17:42
GU33	Cat1	0.0%	00:28:04
GU4	Cat1	44.4%	00:08:13
GU46	Cat1	23.8%	00:10:10
GU5	Cat1	16.7%	00:11:45
GU51	Cat1	35.8%	00:09:35

GU52	Cat1	27.4%	00:09:25
GU6	Cat1	17.5%	00:15:37
GU7	Cat1	43.6%	00:08:03
GU8	Cat1	27.1%	00:10:10
GU9	Cat1	57.1%	00:07:07
KT10	Cat1	40.8%	00:08:38
KT11	Cat1	30.3%	00:08:54
KT12	Cat1	48.3%	00:07:41
KT13	Cat1	59.5%	00:06:19
KT14	Cat1	37.4%	00:08:52
KT15	Cat1	75.8%	00:05:29
KT16	Cat1	81.4%	00:05:11
KT17	Cat1	70.9%	00:05:54
KT18	Cat1	66.7%	00:06:43
KT19	Cat1	55.7%	00:07:26
KT20	Cat1	37.9%	00:08:11
KT21	Cat1	60.8%	00:07:06
KT22	Cat1	62.2%	00:06:55
KT23	Cat1	24.7%	00:10:01
KT24	Cat1	14.0%	00:11:37
KT4	Cat1	47.2%	00:08:11
KT6	Cat1	16.2%	00:11:20
KT7	Cat1	23.1%	00:10:28
KT8	Cat1	28.6%	00:10:07
ME1	Cat1	55.1%	00:07:20
ME10	Cat1	65.7%	00:07:48
ME11	Cat1	51.1%	00:07:41
ME12	Cat1	31.3%	00:11:08
ME13	Cat1	22.1%	00:11:02
ME14	Cat1	58.2%	00:07:04
ME15	Cat1	54.0%	00:07:38
ME16	Cat1	60.2%	00:07:18
ME17	Cat1	27.0%	00:10:56

ME18	Cat1	43.1%	00:07:58
ME19	Cat1	45.1%	00:08:17
ME2	Cat1	58.1%	00:06:52
ME20	Cat1	53.9%	00:07:24
ME3	Cat1	33.2%	00:09:46
ME4	Cat1	78.8%	00:05:32
ME5	Cat1	56.5%	00:06:47
ME6	Cat1	31.6%	00:09:58
ME7	Cat1	81.9%	00:05:00
ME8	Cat1	68.4%	00:06:03
ME9	Cat1	45.5%	00:08:45
PO10	Cat1	13.6%	00:12:47
PO18	Cat1	41.3%	00:09:38
PO19	Cat1	73.9%	00:05:23
PO20	Cat1	46.7%	00:09:23
PO21	Cat1	55.2%	00:07:29
PO22	Cat1	49.8%	00:07:41
PO9	Cat1	0.0%	00:12:25
RG27	Cat1	12.5%	00:12:59
RH1	Cat1	70.6%	00:05:56
RH10	Cat1	69.0%	00:06:02
RH11	Cat1	71.3%	00:05:50
RH12	Cat1	45.3%	00:08:53
RH13	Cat1	35.9%	00:09:52
RH14	Cat1	27.6%	00:14:20
RH15	Cat1	51.6%	00:07:18
RH16	Cat1	68.5%	00:06:37
RH17	Cat1	31.3%	00:09:41
RH18	Cat1	9.1%	00:14:45
RH19	Cat1	22.9%	00:11:37
RH2	Cat1	72.3%	00:06:08
RH20	Cat1	16.7%	00:12:37
RH3	Cat1	29.0%	00:09:52

RH4	Cat1	54.6%	00:08:02
RH5	Cat1	20.3%	00:12:38
RH6	Cat1	57.8%	00:06:23
RH7	Cat1	14.0%	00:12:39
RH8	Cat1	29.0%	00:10:49
RH9	Cat1	50.0%	00:08:09
SL4	Cat1	0.0%	00:20:13
SL5	Cat1	0.0%	00:09:38
SM2	Cat1	28.6%	00:09:32
SM7	Cat1	53.3%	00:07:38
TN1	Cat1	66.1%	00:06:20
TN10	Cat1	30.1%	00:10:04
TN11	Cat1	23.0%	00:10:15
TN12	Cat1	55.1%	00:08:14
TN13	Cat1	37.6%	00:10:28
TN14	Cat1	22.8%	00:11:28
TN15	Cat1	15.6%	00:12:49
TN16	Cat1	11.9%	00:15:23
TN17	Cat1	22.2%	00:15:27
TN18	Cat1	12.8%	00:15:44
TN19	Cat1	2.4%	00:18:11
TN2	Cat1	63.2%	00:07:07
TN20	Cat1	8.6%	00:16:34
TN21	Cat1	14.0%	00:13:47
TN22	Cat1	15.3%	00:13:41
TN23	Cat1	78.0%	00:05:31
TN24	Cat1	78.7%	00:05:22
TN25	Cat1	46.5%	00:07:50
TN26	Cat1	24.1%	00:10:48
TN27	Cat1	7.0%	00:14:05
TN28	Cat1	21.8%	00:13:25
TN29	Cat1	23.9%	00:12:19
TN3	Cat1	17.6%	00:10:57

TN30	Cat1	7.0%	00:21:00
TN31	Cat1	23.0%	00:13:39
TN32	Cat1	17.4%	00:12:11
TN33	Cat1	46.4%	00:07:37
TN34	Cat1	83.8%	00:05:13
TN35	Cat1	52.0%	00:08:08
TN36	Cat1	16.7%	00:11:49
TN37	Cat1	79.1%	00:05:04
TN38	Cat1	78.1%	00:05:38
TN39	Cat1	49.8%	00:08:30
TN4	Cat1	49.2%	00:07:54
TN40	Cat1	47.4%	00:07:23
TN5	Cat1	10.4%	00:15:45
TN6	Cat1	18.2%	00:13:12
TN7	Cat1	10.0%	00:15:59
TN8	Cat1	15.2%	00:14:39
TN9	Cat1	47.9%	00:07:47
TW14	Cat1	0.0%	00:12:19
TW15	Cat1	48.1%	00:08:31
TW16	Cat1	31.8%	00:08:52
TW17	Cat1	47.1%	00:07:15
TW18	Cat1	53.2%	00:07:31
TW19	Cat1	34.1%	00:09:05
TW20	Cat1	33.5%	00:09:30
BN1	Cat2	75.4%	00:14:22
BN10	Cat2	59.3%	00:19:09
BN11	Cat2	69.7%	00:16:04
BN12	Cat2	69.4%	00:16:19
BN13	Cat2	71.3%	00:15:41
BN14	Cat2	71.5%	00:15:38
BN15	Cat2	66.4%	00:17:56
BN16	Cat2	61.1%	00:19:32
BN17	Cat2	58.9%	00:19:50

BN18	Cat2	63.1%	00:19:39
BN2	Cat2	76.0%	00:14:07
BN20	Cat2	64.7%	00:18:51
BN21	Cat2	64.0%	00:18:54
BN22	Cat2	66.9%	00:18:15
BN23	Cat2	65.3%	00:18:43
BN24	Cat2	62.8%	00:19:56
BN25	Cat2	41.8%	00:23:27
BN26	Cat2	66.7%	00:16:48
BN27	Cat2	60.6%	00:20:42
BN3	Cat2	73.0%	00:15:17
BN41	Cat2	65.0%	00:17:40
BN42	Cat2	66.5%	00:17:22
BN43	Cat2	64.4%	00:18:16
BN44	Cat2	43.9%	00:22:44
BN45	Cat2	67.2%	00:16:49
BN5	Cat2	32.1%	00:24:22
BN6	Cat2	57.7%	00:19:42
BN7	Cat2	51.8%	00:20:14
BN8	Cat2	36.6%	00:24:06
BN88	Cat2	85.7%	00:07:18
BN9	Cat2	41.4%	00:22:12
BN99	Cat2	50.0%	00:17:46
BR6	Cat2	52.2%	00:16:58
BR8	Cat2	53.1%	00:22:15
CR3	Cat2	46.8%	00:21:42
CR5	Cat2	58.8%	00:21:10
CR6	Cat2	33.0%	00:25:27
CR8	Cat2	52.0%	00:21:02
CT1	Cat2	39.7%	00:24:13
CT10	Cat2	73.1%	00:15:21
CT11	Cat2	73.9%	00:15:36
CT12	Cat2	74.6%	00:14:55

CT13	Cat2	53.4%	00:20:44
CT14	Cat2	30.2%	00:26:01
CT15	Cat2	33.3%	00:27:23
CT16	Cat2	40.0%	00:25:04
CT17	Cat2	39.1%	00:24:28
CT18	Cat2	52.5%	00:22:06
CT19	Cat2	55.3%	00:20:17
CT2	Cat2	37.2%	00:25:17
CT20	Cat2	51.5%	00:21:45
CT21	Cat2	50.2%	00:22:47
CT3	Cat2	39.6%	00:24:48
CT4	Cat2	34.2%	00:27:55
CT5	Cat2	36.2%	00:25:03
CT6	Cat2	44.4%	00:23:06
CT7	Cat2	66.3%	00:18:25
CT8	Cat2	71.3%	00:16:36
CT9	Cat2	75.7%	00:14:38
DA1	Cat2	62.1%	00:19:01
DA10	Cat2	59.5%	00:19:34
DA11	Cat2	61.7%	00:19:12
DA12	Cat2	57.6%	00:20:25
DA13	Cat2	54.4%	00:20:18
DA14	Cat2	20.0%	00:45:07
DA2	Cat2	64.0%	00:18:04
DA3	Cat2	47.2%	00:24:22
DA4	Cat2	56.1%	00:21:18
DA5	Cat2	58.2%	00:21:06
DA9	Cat2	66.6%	00:18:22
GU1	Cat2	66.5%	00:17:04
GU10	Cat2	49.0%	00:22:42
GU11	Cat2	62.2%	00:19:06
GU12	Cat2	63.8%	00:19:31
GU14	Cat2	64.7%	00:18:09

GU15	Cat2	60.4%	00:19:07
GU16	Cat2	65.3%	00:17:55
GU17	Cat2	60.9%	00:19:08
GU18	Cat2	58.8%	00:20:35
GU19	Cat2	63.0%	00:19:00
GU2	Cat2	65.9%	00:17:19
GU20	Cat2	54.8%	00:21:26
GU21	Cat2	61.3%	00:19:36
GU22	Cat2	64.2%	00:18:51
GU23	Cat2	61.7%	00:19:33
GU24	Cat2	60.6%	00:18:56
GU25	Cat2	70.4%	00:16:21
GU26	Cat2	37.1%	00:26:38
GU27	Cat2	23.7%	00:28:07
GU28	Cat2	21.8%	00:28:04
GU29	Cat2	19.6%	00:28:54
GU3	Cat2	63.0%	00:19:30
GU30	Cat2	14.7%	00:35:57
GU31	Cat2	8.2%	00:32:31
GU33	Cat2	20.8%	00:31:51
GU4	Cat2	58.4%	00:20:57
GU46	Cat2	49.8%	00:23:58
GU5	Cat2	43.0%	00:24:55
GU51	Cat2	48.7%	00:22:49
GU52	Cat2	48.3%	00:24:38
GU6	Cat2	16.6%	00:30:54
GU7	Cat2	55.6%	00:21:08
GU8	Cat2	46.7%	00:23:08
GU9	Cat2	58.0%	00:20:42
HA0	Cat2	61.3%	00:19:32
KT10	Cat2	57.6%	00:19:50
KT11	Cat2	64.5%	00:18:48
KT12	Cat2	63.3%	00:18:44

KT13	Cat2	69.7%	00:17:00
KT14	Cat2	65.4%	00:18:14
KT15	Cat2	70.6%	00:16:29
KT16	Cat2	75.2%	00:14:37
KT17	Cat2	67.7%	00:16:32
KT18	Cat2	69.0%	00:16:18
KT19	Cat2	65.0%	00:17:57
KT20	Cat2	66.0%	00:17:32
KT21	Cat2	70.4%	00:15:45
KT22	Cat2	66.6%	00:17:41
KT23	Cat2	54.0%	00:19:56
KT24	Cat2	49.0%	00:22:46
KT4	Cat2	63.2%	00:18:38
KT6	Cat2	54.8%	00:19:51
KT7	Cat2	53.8%	00:20:02
KT8	Cat2	51.2%	00:21:53
KT9	Cat2	57.9%	00:20:47
ME1	Cat2	63.0%	00:19:06
ME10	Cat2	40.4%	00:25:01
ME11	Cat2	37.0%	00:25:16
ME12	Cat2	26.2%	00:30:28
ME13	Cat2	32.8%	00:26:46
ME14	Cat2	54.0%	00:21:14
ME15	Cat2	45.0%	00:23:56
ME16	Cat2	54.6%	00:20:59
ME17	Cat2	33.4%	00:26:25
ME18	Cat2	61.7%	00:19:35
ME19	Cat2	48.9%	00:22:35
ME2	Cat2	59.2%	00:20:05
ME20	Cat2	54.0%	00:20:41
ME3	Cat2	43.5%	00:24:26
ME4	Cat2	67.1%	00:17:11
ME5	Cat2	60.4%	00:20:03

ME6	Cat2	50.2%	00:22:09
ME7	Cat2	65.3%	00:17:31
ME8	Cat2	60.8%	00:19:54
ME9	Cat2	39.9%	00:25:47
PO10	Cat2	44.5%	00:24:30
PO18	Cat2	61.2%	00:20:19
PO19	Cat2	72.8%	00:16:31
PO20	Cat2	48.8%	00:23:28
PO21	Cat2	61.8%	00:20:10
PO22	Cat2	60.5%	00:20:07
PO9	Cat2	20.0%	00:29:24
RG27	Cat2	47.7%	00:23:57
RH1	Cat2	71.1%	00:15:51
RH10	Cat2	66.7%	00:18:04
RH11	Cat2	64.9%	00:17:50
RH12	Cat2	43.4%	00:23:59
RH13	Cat2	36.5%	00:26:05
RH14	Cat2	17.8%	00:30:05
RH15	Cat2	53.9%	00:19:58
RH16	Cat2	50.2%	00:21:20
RH17	Cat2	48.0%	00:22:41
RH18	Cat2	15.2%	00:27:53
RH19	Cat2	41.6%	00:24:21
RH2	Cat2	76.6%	00:13:54
RH20	Cat2	30.9%	00:25:39
RH3	Cat2	65.6%	00:17:54
RH4	Cat2	57.8%	00:19:12
RH5	Cat2	43.4%	00:22:45
RH6	Cat2	68.7%	00:16:58
RH7	Cat2	45.2%	00:23:05
RH8	Cat2	38.9%	00:22:51
RH9	Cat2	62.7%	00:19:17
SL3	Cat2	100.0%	00:09:56

SL4	Cat2	42.9%	00:19:10
SL5	Cat2	20.0%	00:24:25
SM2	Cat2	63.8%	00:17:44
SM3	Cat2	73.3%	00:14:18
SM5	Cat2	50.0%	00:31:32
SM7	Cat2	65.7%	00:17:21
TN1	Cat2	63.2%	00:17:37
TN10	Cat2	52.6%	00:22:15
TN11	Cat2	48.1%	00:21:56
TN12	Cat2	46.5%	00:23:03
TN13	Cat2	41.6%	00:22:42
TN14	Cat2	38.4%	00:24:15
TN15	Cat2	34.9%	00:25:38
TN16	Cat2	30.0%	00:26:24
TN17	Cat2	15.3%	00:30:17
TN18	Cat2	14.9%	00:28:51
TN19	Cat2	10.2%	00:31:21
TN2	Cat2	61.3%	00:18:58
TN20	Cat2	22.1%	00:28:45
TN21	Cat2	27.7%	00:27:41
TN22	Cat2	22.6%	00:28:06
TN23	Cat2	69.9%	00:16:50
TN24	Cat2	70.9%	00:15:48
TN25	Cat2	62.8%	00:19:02
TN26	Cat2	47.8%	00:23:10
TN27	Cat2	27.8%	00:27:20
TN28	Cat2	18.9%	00:29:14
TN29	Cat2	21.9%	00:28:58
TN3	Cat2	45.8%	00:23:32
TN30	Cat2	11.7%	00:31:02
TN31	Cat2	18.4%	00:31:19
TN32	Cat2	27.1%	00:26:39
TN33	Cat2	52.9%	00:23:27

TN34	Cat2	66.8%	00:17:39
TN35	Cat2	61.5%	00:20:12
TN36	Cat2	27.3%	00:27:49
TN37	Cat2	65.5%	00:18:21
TN38	Cat2	65.5%	00:18:25
TN39	Cat2	58.4%	00:20:57
TN4	Cat2	53.2%	00:22:03
TN40	Cat2	58.1%	00:20:53
TN5	Cat2	15.6%	00:30:46
TN6	Cat2	29.2%	00:28:29
TN7	Cat2	18.7%	00:27:48
TN8	Cat2	15.6%	00:31:00
TN9	Cat2	58.7%	00:19:46
TW14	Cat2	66.7%	00:21:42
TW15	Cat2	56.8%	00:20:09
TW16	Cat2	64.2%	00:18:59
TW17	Cat2	65.7%	00:18:46
TW18	Cat2	63.2%	00:18:38
TW19	Cat2	53.8%	00:21:17
TW20	Cat2	58.4%	00:20:33
TW6	Cat2	0.0%	00:19:30
XXXX	Cat2	0.0%	00:39:20